

Dr. A. VERWEY B.V.

Coolhaven 34, 3024 AC Rotterdam, Netherlands
Tel.+31(0)108080450, Fax +31(0)108080469
e-Mail: info@drverwey.nl, www.drverwey.nl

Fresh Omega
Leidsevaart 228
2203 LC Noordwijk (ZH)

Date 28.09.2017

Customer no. 127490

REPORT 477464 / 5 - 252969 / 9

The slash after the order and/or analysis number corresponds to the current version of the test report. This version replaces all previous versions of this test report.

Order **477464 / 5 Mermaids Omega-3**
Sample no. **252969 / 9**
Sample acceptance **20.06.2017**
Date of sampling **20.06.2017**
Sample code **Mermaids Omega-3**
Charge: 042
Tenminste houdbaar tot: 02.06.2018
Packaging **Glass (2xabt.250 ml)**
Sample seal **Sticker**

Elements	Unit	EU	Result regulations	Method
Arsenic (As)	mg/kg		<0,02	in-house method ICP-MS (QMP_504_VW_201)
Cadmium (Cd)	mg/kg	1 ^{max}	<0,02	in-house method ICP-MS (QMP_504_VW_201)
Lead (Pb)	mg/kg	3 ^{max}	<0,05	in-house method ICP-MS (QMP_504_VW_201)
Mercury (Hg)	mg/kg	0,1 ^{max}	<0,005	in-house method HgFIMS (QMP_504_VW_218)

Pesticides Multi-Residue-Methods

Aldrin	mg/kg		<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Dieldrin	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Endrin	mg/kg		<0,01 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Chlordane alpha	mg/kg		<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Chlordane gamma	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Chlordane oxy	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Endosulfan alpha	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Endosulfan beta	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Endosulfansulfat	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
Sum endosulfan-alpha, -beta, -sulfat *	mg/kg		<0,020 ^{x)}	calculated(KI)	
Hexachlorobenzene	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
HCH-alpha	mg/kg		<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
HCH-beta	mg/kg		<0,010 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)
HCH-delta	mg/kg		<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI)	u)

The parameters reported in this document are accredited according to ISO/IEC 17025:2005. Only not accredited parameters are identified by the symbol " * " .

Dr. A. VERWEY B.V.

Coolhaven 34, 3024 AC Rotterdam, Netherlands
Tel.+31(0)108080450, Fax +31(0)108080469
e-Mail: info@drverwey.nl, www.drverwey.nl

Date 28.09.2017

Customer no. 127490

REPORT 477464 / 5 - 252969 / 9

	Unit	EU Result regulations	Method
HCH-epsilon	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
HCH-gamma (Lindane)	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Heptachlor	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Heptachlorepoxide-cis	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Heptachlorepoxide-trans	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
o,p-DDD	mg/kg	<0,010 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
o,p-DDE	mg/kg	<0,010 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
o,p-DDT	mg/kg	<0,01 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
p,p-DDD	mg/kg	<0,01 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
p,p-DDE	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
p,p-DDT	mg/kg	<0,01 ^{m)}	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Methoxychlor	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Quintozene	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Tecnazene	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Tetradifon	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Nitrofen	mg/kg	<0,005	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Bifenthrin	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Bromophos-ethyl	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Bromophos-methyl	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Chlorphenvinphos	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Chlorpyrifos	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Chlorpyrifos-methyl	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Chlorthion	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Cyfluthrin	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Cypermethrin	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Deltamethrin (cis-Deltamethrin)	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Diazinon	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Dichlorvos	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Ethion	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Fenitrothion	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Fenpropathrine	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Fenthion	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
lambda-Cyhalothrine	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Malathion	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Mecarbame	mg/kg	<0,01	DIN EN 12393-2 / DIN EN 12393-3(KI) u)

The parameters reported in this document are accredited according to ISO/IEC 17025:2005. Only not accredited parameters are identified by the symbol " * " .

Dr. A. VERWEY B.V.

Coolhaven 34, 3024 AC Rotterdam, Netherlands
Tel.+31(0)108080450, Fax +31(0)108080469
e-Mail: info@drverwey.nl, www.drverwey.nl

Date 28.09.2017

Customer no. 127490

REPORT 477464 / 5 - 252969 / 9

	Unit	EU		Method
		Result	regulations	
Methidathion	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Parathion-ethyl	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Parathion-methyl	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Permethrin	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Pirimiphos-ethyl	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Pirimiphos-methyl	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Profenofos	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)
Sulfotep	mg/kg	<0,01		DIN EN 12393-2 / DIN EN 12393-3(KI) u)

Fatty acid composition

Butyric acid C4:0	%	<0,1		conform ISO 12966-2 (2011) + conform ISO 12966-4 (2015)
-------------------	---	------	--	---

Non-dioxinlike PCB's

PCB-28	µg/kg	<0,100		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB-52	µg/kg	<0,100		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB-101	µg/kg	<0,100		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB-138	µg/kg	<0,100		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB-153	µg/kg	<0,100		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB-180	µg/kg	0,165		equivalent to NEN EN 16215 / QMP 504_VW_609
Sum PCB (ICES - 6)	µg/kg	0,7^{xxj}	200 ^{max}	calculation ICES-6

Dioxinlike PCB's

PCB 77	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 81	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 105	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 114	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 118	ng/kg	<100		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 123	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 126	ng/kg	<1,00		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 156	ng/kg	14,4		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 157	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 167	ng/kg	<10,0		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 169	ng/kg	<1,00		equivalent to NEN EN 16215 / QMP 504_VW_609
PCB 189	ng/kg	16,6		equivalent to NEN EN 16215 / QMP 504_VW_609
TEQ-WHO (upper-bound, dl PCB)	ng/kg	0,139^{xxj}		Calculation WHO 2005 (s. Anm.)

Dioxins and Dibenzofurans

2,3,7,8-Tetra CDD	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW_609
1,2,3,7,8-Penta CDD	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW_609
1,2,3,4,7,8-Hexa CDD	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW_609

The parameters reported in this document are accredited according to ISO/IEC 17025:2005. Only not accredited parameters are identified by the symbol " * " .

Dr. A. VERWEY B.V.

Coolhaven 34, 3024 AC Rotterdam, Netherlands
Tel.+31(0)108080450, Fax +31(0)108080469
e-Mail: info@drverwey.nl, www.drverwey.nl

Date 28.09.2017

Customer no. 127490

REPORT 477464 / 5 - 252969 / 9

	Unit	EU Result regulations		Method
1,2,3,6,7,8-Hexa CDD	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,7,8,9-Hexa CDD	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,4,6,7,8-HpCDD	ng/kg	<0,200		equivalent to NEN EN 16215 / QMP 504_VW 609
Octa CDD	ng/kg	<2,00		equivalent to NEN EN 16215 / QMP 504_VW 609
2,3,7,8-Tetra CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,7,8-Penta CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
2,3,4,7,8-Penta CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,4,7,8-Hexa CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,6,7,8-Hexa CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,7,8,9-Hexa CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
2,3,4,6,7,8-Hexa CDF	ng/kg	<0,0500		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,4,6,7,8-Hepta CDF	ng/kg	<0,200		equivalent to NEN EN 16215 / QMP 504_VW 609
1,2,3,4,7,8,9-Hepta CDF	ng/kg	<0,200		equivalent to NEN EN 16215 / QMP 504_VW 609
Octa CDF	ng/kg	<2,00		equivalent to NEN EN 16215 / QMP 504_VW 609
TEQ-WHO (upper-bound, only PCDD/F)	ng/kg	0,164 ^{xxj}	1,75 ^{max}	Calculation WHO 2005 (s. Anm.)
TEQ-WHO total (upper-bound, Dioxins + dl PCB)	ng/kg	0,303 ^{xxj}	6 ^{max}	Calculation WHO 2005 (s. Anm.)

max Maximum value.

x) The sum calculation is done without taking into account the report limits.

xx) For each single result below the LOD, the LOD was used for the calculation, for each single result between LOD and LOQ, the LOQ was used for the calculation.

m) Due to the disturbing influence of the sample matrix, the limit of detection resp. limit of quantitation was increased.

Explanation: "<" or "n.q." represent the fact that the concentration of the analyte is below the limit of quantification (LOQ).

u) Forwarded to an accredited Agrolab group laboratory

Agrolab group laboratories

Analysed by

(KI) AGROLAB Location Kiel, Dr.-Hell-Str. 6, 24107 Kiel

Methods

calculated

(KI) AGROLAB Location Kiel, Dr.-Hell-Str. 6, 24107 Kiel, for the cited method accredited according to ISO/IEC 17025:2005, certificate of Accreditation: D-PL-14082-01-00

Methods

DIN EN 12393-2 / DIN EN 12393-3

**According to the extent of the analysis the sample complies with the requirements of:
EU Regulations**

Start of testing: 21.06.2017

End of testing: 29.06.2017

The analytical results are only valid for the delivered sample material. A plausibility check is hardly possible for samples of unknown origin. Duplication of this document or of parts of it requires the authorization from laboratory.

The parameters reported in this document are accredited according to ISO/IEC 17025:2005. Only not accredited parameters are identified by the symbol " * " .

Dr. A. VERWEY B.V.

Coolhaven 34, 3024 AC Rotterdam, Netherlands
Tel.+31(0)108080450, Fax +31(0)108080469
e-Mail: info@drverwey.nl, www.drverwey.nl

Date 28.09.2017

Customer no. 127490

REPORT 477464 / 5 - 252969 / 9




Verwey Karen Braanker / Timansha Achterberg, Tel. +31/108080455
Customer Service

The parameters reported in this document are accredited according to ISO/IEC 17025:2005. Only not accredited parameters are identified by the symbol " * " .